



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/053,340

10/22/2001

Frederick A. Ware

RBS2.P049

8663

30554 7590 03/28/2007
SHEMWELL MAHAMED I LLP
4880 STEVENS CREEK BOULEVARD
SUITE 201
SAN JOSE, CA 95129

EXAMINER

NGUYEN, THAN VINH

ART UNIT

PAPER NUMBER

2187

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

03/28/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/053,340

Applicant(s)

WARE ET AL.

Examiner

Than Nguyen

Art Unit

2187

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 January 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-7, 9-11 and 13-36 is/are rejected.
- 7) ☒ Claim(s) 4, 8 and 12 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 1/29/07.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/29/07 has been entered.

2. This is a response to the amendment, filed 1/29/07.

3. Claims 1-36 are pending.

4. The IDS, filed 1/29/07, has been considered. It should be noted that Applicant filed a massive amount of references for consideration without any explanation of how the references relate to the invention of the current application. Due to the huge number of references cited, the Examiner only had time to perform a cursory review of the cited references. If Applicant has specific knowledge of pertinent references, of the submitted references that are of importance to the current application it is Applicant's duty to inform the Examiner of such references.

Response to Amendment & Arguments

5. Applicant's arguments with respect to claims 1-36 have been considered but are moot in view of the new ground(s) of rejection. Applicant has amended the claims to include new limitations not previously considered. The amended claims are addressed below.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 2187

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 1-3,5-7,9-11,13-36 are rejected under 35 U.S.C. 102(e) as being anticipated by Gustavson (US 5,778,419).

As to claim 1:

8. Gustavson teaches a memory system comprising: a first memory controller (command module 150; Fig. 1A); a first memory component (SLDRAM 110); a first address and control bus (command bus 151) connected to the first memory controller and the first memory component, the first address and control bus including a plurality of signal conductors that extend from the first memory to the first memory component (Fig. 1A, 1B); and a first data bus (data bus 155) connected to the first memory controller and to the first memory, wherein the first data bus uses differential signaling and has a first data bus symbol time that is shorter than a first address and control bus symbol time of the first address and control bus (data bus uses differential signaling to shorten symbol time; 10/27-38).

As to claim 2,6,19:

9. Gustavson teaches a second memory component connected to the first address and control bus and to the first data bus (SLDRAM 180).

As to claim 3,7,20:

10. Gustavson teaches a second memory component connected to the first address and control bus (SLDRAM 180); and a second data bus (data bus 156) connected to the first memory controller and to the second memory component, wherein the second data bus uses differential signaling and has a second data bus symbol time that is shorter than the first address and control bus symbol time of the first address and control bus (data bus uses differential signaling to shorten symbol time; 10/56-11/30).

As to claim 5:

11. Gustavson teaches a memory system comprising: a first memory controller (command module 150); a first memory component (SLDRAM 110); a first address and control bus (command bus 151) connected to the first memory controller and to the first memory component, the first address and control bus including a plurality of signal conductors that extend from the first memory to the first memory component (Fig. 1A, 1B); a first clock signal conductor (CCLK 151b) connected to the first memory controller and to the first memory component; and a first data bus (data bus 155) connected to the first memory controller and to the first memory component, wherein the first data bus has a first data bus symbol time that is shorter than a first address and control bus symbol time of the first address and control bus and wherein the first address and control bus symbol time is shorter than a first clock signal cycle time of the first clock signal (data bus uses differential signaling to shorten symbol time; 10/27-38).

As to claim 9:

12. Gustavson teaches a memory system comprising: a first memory controller (command module 150); a first memory component (SLDRAM 110); a first address and control bus

Art Unit: 2187

(command bus 151) connected to the first memory controller and to the first memory component, the first address and control bus including a plurality of signal conductors that extend from the first memory to the first memory component (Fig. 1A, 1B); and a first data bus (data bus 155) connected to the first memory controller and to the first memory component, wherein the first memory component includes a first termination structure connected to the first data bus and wherein the first data bus has a first data bus symbol time that is shorter than a first address and control symbol time of the first address and control bus (data bus uses differential signaling to shorten symbol time; 10/27-38, 56-11/30).

As to claim 10,15:

13. Gustavson teaches a second memory component connected to the first address and control bus (SLDRAM 180); and a second data bus (data bus 156) connected to the first memory controller and to the second memory component, wherein the second memory component includes a second termination structure (RT; 14/53-67) connected to the second data bus and wherein the first data bus symbol time is shorter than the first address and control bus symbol time of the first address and control bus (10/27-38, 10/56-11/30).

As to claim 11,16:

14. Gustavson teaches the first memory controller includes a third termination structure (RT; 14/53-67; Fig. 1B) connected to the first data bus.

As to claim 13,17:

Art Unit: 2187

15. Gustavson teaches a calibration process is used to adjust a first termination value of the first termination structure (set termination value; 14/53-67). It should be noted that the claimed invention is a memory system and not a method. The claimed limitation of this claim is a process, which is not part of the physical elements of a memory system. It is not given patentable weight. However, the Examiner still applied prior art to this claim.

As to claim 14:

16. Gustavson teaches a memory system comprising: a first memory controller (command module 150); a first memory component (SLDRAM 110); a first address and control bus (command bus 151) connected to the first memory controller and to the first memory component, the first address and control bus including a plurality of signal conductors that extend from the first memory to the first memory component (Fig. 1A, 1B); and a first data bus (data bus 155) connected to the first memory controller and to the first memory component, wherein the first memory component includes a first termination structure connected to the first data bus (RT; 14/53-67; Fig. 1B), wherein the first data bus uses differential signaling (data bus uses differential signaling to shorten symbol time; 9/37-4910/27-38), and the first address and control bus uses non-differential signaling (8/53-65).

As to claim 18:

17. Gustavson teaches a memory system comprising: a first memory controller (command module 150); a first memory component (SLDRAM 110); a first address and control bus (command bus 151) connected to the first memory controller and to the first memory component, the first address and control bus including a plurality of signal conductors that extend from the

Art Unit: 2187

first memory to the first memory component (Fig. 1A, 1B); and a first data bus (data bus 155) connected to the first memory controller and to the first memory component, wherein the first memory component includes a first termination structure connected to the first data bus (RT; 14/53-67; Fig. 1B), wherein the first data bus uses differential signaling and wherein the first memory component accesses a first word stored in the first memory component, the first word being wider than a first data bus width of the first data bus (data bus uses differential signaling to shorten symbol time; 9/37-4910/27-38).

As to claim 21:

18. Gustavson teaches a memory system comprising: a first memory controller (command module 150); a first memory component (SLDRAM 110); a first address and control bus (command bus 151) connected to the first memory controller and to the first memory component, the first address and control bus including a plurality of signal conductors that extend from the first memory to the first memory component (Fig. 1A, 1B); and a first data bus (data bus 155) connected to the first memory controller and to the first memory component, wherein the first memory controller includes a first receive circuit having a first read timing adjustment subcircuit for adjusting a first adjustable read data sampling time point for first read data sampled from the first data bus and wherein the first data bus uses differential signaling (timing adjustment; 5/20-32; 12/47-55, 16/30-35).

As to claim 22:

19. Gustavson teaches a second memory component connected to the first address and control bus (SLDRAM 180); and a second data bus connected the first memory controller and to

Art Unit: 2187

the second memory component, wherein the first memory controller includes a second receive circuit having a second read timing adjustment subcircuit for adjusting a second adjustable read data sampling time point for second read data sampled from the second data bus and wherein the second data bus uses differential signaling (timing adjustment; 12/47-55, 16/30-35).

As to claim 23,27:

20. Gustavson teaches a calibration process is used to adjust the first adjustable read data sampling time point (tunable sampling; 17/45-67). It should be noted that the claimed invention is a memory system and not a method. The claimed limitation of this claim is a process, which is not part of the physical elements of a memory system. It is not given patentable weight.

However, the Examiner still applied prior art to this claim.

As to claim 24,28:

21. Gustavson teaches the first memory controller contains a first transmit circuit having a first write timing adjustment subcircuit for adjusting a first adjustable write data driving time point for first write data driven on the first data bus (16/30-35; 17-45-67).

As to claim 25:

22. Gustavson teaches a memory system comprising: a first memory controller (command module 150); a first memory component (SLDRAM 110); a first address and control bus (command bus 151) connected to the first memory controller and to the first memory component, the first address and control bus including a plurality of signal conductors that extend from the first memory to the first memory component (Fig. 1A, 1B); and a first data bus (data bus 155)

Art Unit: 2187

connected to the first memory controller and to the first memory component, wherein the first memory controller component includes a first receive circuit having a first read timing adjustment subcircuit for adjusting a first adjustable read data sampling time point for first read data sampled from the first data bus (timing adjustment; 5/20-32; 12/47-55, 16/30-35) and wherein the first memory component includes a first termination structure connected to the first data bus (RT; 14/53-67; 16/60-65).

As to claim 26:

23. Gustavson teaches a second memory component (SLDRAM 180) connected to the first address and control bus; and a second data bus (data bus 156) connected to the first memory controller and to the second memory component, wherein the first memory controller includes a second receive circuit having a second read timing adjustment subcircuit for adjusting a second adjustable read data sampling time point for second read data sampled from the second data bus (timing adjustment; 5/20-32; 12/47-55, 16/30-35) and wherein the second memory component includes a second termination structure connected to the second data bus (RT; 14/53-67; 16/60-65).

As to claim 29:

24. Gustavson teaches the first memory controller includes a third termination structure connected to the first data bus (RT; Fig. 1B).

As to claims 30-36:

Art Unit: 2187

25. Gustavson teaches a memory module having the first memory component and plurality of signal conductors disposed therein (SLDRAM module 110; Fig. 1A, 1B).

Allowable Subject Matter

26. Claims 4, 8, and 12 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

27. As to claim 4,8,12 the prior art does not further teach wherein a quotient of the first data bus symbol time divided by the first address and control bus symbol time is less than or equal to 1/8.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Than Nguyen whose telephone number is 571-272-4198. The examiner can normally be reached on 8am-3pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Than Nguyen can be reached on (571) 272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2187

A handwritten signature in black ink, appearing to read 'Than Nguyen', with a stylized, cursive script.

Than Nguyen
Primary Examiner
Art Unit 2187